

e

Notice of Allowability	Application No.	Applicant(s)	
	10/705,871	CARBERG ET AL.	
	Examiner	Art Unit	
	William H. Rodriguez	3746	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--
 All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the amendment filed on 3/3/05.
2. ☒ The allowed claim(s) is/are 1-10.
3. ☒ The drawings filed on 13 November 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

- Attachment(s)**
- | | |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

Allowable Subject Matter

1. Claims 1-10 are allowed.

With respect to claim 1, applicant arguments presented *on page 6 the second paragraph and page 7 the first paragraph* of applicant's response are found persuasive because the prior art of record neither discloses nor makes obvious the combination set forth in the independent claims, and especially does not show "*a plurality of manifolds arranged in the air inlet duct for communication with a supply of water and extending in a direction generally normal to the direction of air flow through the duct to the compressor, said manifolds extending between opposite walls of the duct and in spaced arrays thereof in the direction of air flow through the duct to the compressor, manifolds of each array thereof lying in substantial alignment with manifolds of other arrays thereof in the direction of air flow through the duct to the compressor*" in combination with the other claims limitations. Thus, claim 1 and its dependent claims are allowed.

With respect to claim 6, applicant arguments presented *on page 6 the second paragraph; page 7 the first paragraph and page 7 the fourth paragraph* of applicant's response are found persuasive because the prior art of record neither discloses nor makes obvious the combination set forth in the independent claims, and especially does not show "*a plurality of manifolds arranged in the air inlet duct for communication with a mister supply and extending in a direction generally normal to the direction of air flow through the duct to the compressor, said manifolds extending between opposite walls of the duct and in downstream, intermediate and upstream arrays thereof spaced from one another in the direction of air flow through the duct to the compressor, each array having a plurality of said manifolds spaced one from the other and lying generally in a common plane generally perpendicular to the direction of air flow, manifolds of each array thereof lying in substantial alignment with the manifolds of other arrays thereof in the direction of air flow*" in combination with the other claims limitations. Thus, claim 6 and its dependent claims are allowed.

Art Unit: 3746


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to William H. Rodriguez whose telephone number is 571-272-4831. The examiner can normally be reached on Monday-Friday 7:30 am to 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl J Tyler can be reached on 571-272-4834. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



William H. Rodriguez
Examiner
Art Unit 3746